

One Biosecurity is essential to implement One Health

Philip E. Hulme , Michele S. Dechoum, Franz Essl, Angeliki F. Martinou, Aníbal Pauchard, Petr Pyšek, Helen E. Roy ,
Andy W. Sheppard, Montserrat Vilà  and John R. U. Wilson 

Philip E. Hulme (philip.hulme@lincoln.ac.nz) is distinguished professor of plant biosecurity and director of the Centre for One Biosecurity Research, Analysis, and Synthesis; he is also affiliated with the Department of Pest-Management and Conservation at Lincoln University, in Christchurch, Canterbury, New Zealand. Michele S. Dechoum is a professor in the Departamento de Ecologia e Zoologia and in the Programa de Pós-graduação em Ecologia of the Universidade Federal de Santa Catarina, in Santa Catarina, Brazil. Franz Essl is a professor in the Division of BioInvasions, Global Change, and Macroecology in the Department of Botany and Biodiversity Research at the University of Vienna, in Vienna, Austria. Angeliki F. Martinou is affiliated with the Laboratory of Vector Ecology and Applied Entomology, Joint Services Health Unit Cyprus, in Akrotiri; with the Enalia Physis Environmental Research Centre, in Nicosia; and with the Climate and Atmosphere Research Centre, at the Cyprus Institute, in Aglantzia, Nicosia, Cyprus. Aníbal Pauchard is a professor in the Laboratorio de Invasiones Biológicas, in the Facultad de Ciencias Forestales at the Universidad de Concepción, in Concepción, and with the Institute of Ecology and Biodiversity, in Santiago, Chile. Petr Pyšek is affiliated with the Czech Academy of Sciences, Institute of Botany, Department of Invasion Ecology, in Průhonice, and with the Department of Ecology in the Faculty of Science at Charles University, in Prague, in the Czech Republic. Helen E. Roy is affiliated with the UK Centre for Ecology and Hydrology, in Wallingford, and with the Centre for Ecology and Conservation, at the University of Exeter, in Penryn, England, in the United Kingdom. Andy W. Sheppard is the chief research scientist at CSIRO, Black Mountain Laboratories, in Canberra, Australia. Montserrat Vilà is a research professor at the Estación Biológica de Doñana and associate professor at the Departamento de Biología Vegetal y Ecología at the Universidad de Sevilla, in Sevilla, Spain. John R. U. Wilson is affiliated with the South African National Biodiversity Institute, at the Kirstenbosch Research Centre, in Cape Town, and is a core team member of the Centre for Invasion Biology, in the Department of Botany and Zoology at Stellenbosch University, in Stellenbosch, South Africa.

Abstract

Although One Health and biosecurity both aim to protect the health of people, animals, and ecosystems from biological hazards, the two fields remain heavily siloed across distinct policy and research domains. One Health has yet to fully integrate environmental perspectives, especially biological invasions, into its workplan, whereas biosecurity lacks an effective inclusion of the social and health sciences, further hindering collaboration. One Biosecurity offers a vital interdisciplinary framework that bridges human, animal, plant, and ecosystem health sectors, fostering a stronger connection between biosecurity and One Health. This comprehensive approach spans the entire biosecurity continuum, from pre-border intelligence scans to border inspections and post-border incursion management, enabling more effective responses to the threats posed by biological invasions. By unifying these efforts, One Biosecurity will engage a broader group of multilateral organizations, bring together diverse stakeholders, and implement balanced strategies that better safeguard human health, agriculture production systems, and the natural environment.

Keywords: epidemiology, food security, globalization, pandemics, quarantine

The One Health concept initially arose at the nexus of wildlife, domestic animal, and human health around the emergence and management of zoonoses and called for a more inclusive approach to bring veterinary and human health closer together (Kahler 2004, Evans and Leighton 2014). Subsequently, the concept has been expanded and described in various ways (Prata et al. 2022a), with a global consensus definition only reached recently (Adisasmito et al. 2022). As was agreed by the Food and Agriculture Organization of the United Nations (FAO), the World Organization for Animal Health (WOAH), the United Nations Environment Programme (UNEP), and the World Health Organization (WHO), One Health is defined as “an integrated, unifying approach that aims to sustainably balance and optimize the health of people, animals, and ecosystems” (Adisasmito et al. 2022).

The term biosecurity first emerged as an approach to protect the agricultural sector from the threat of pests and pathogens but has also been the subject of multiple definitions (Hulme 2024b). However, one meaning agreed on by both WHO and FAO is “a strategic and integrated approach to analyzing and managing relevant risks to human, animal, and plant life and health and associated risks for the environment” (INFOSAN 2010). These risks include alien plant pests, animal pests and pathogens, pathogens capable of jumping from animals to humans (zoonoses), the release of

genetically modified organisms and their products, and the management of invasive alien species and genotypes (Hulme 2020). The definitions of One Health and biosecurity are remarkably similar and imply considerable potential for complementarity. However, regardless of the similarity in definitions and the logic of an integrated approach, the research supporting either One Health or biosecurity has largely developed independently with remarkably little cross-fertilization over the last two decades (box 1). Biosecurity is scarcely mentioned in the One Health Joint Plan of Action (2022–2026) proposed by FAO, UNEP, WHO, and WOAH, and the only references are associated strictly with zoonoses and laboratory biosafety (FAO et al. 2022).

The conceptual and operational similarities between biological invasions and the spread of human, animal, and zoonotic diseases (Hatcher et al. 2012, Ogden et al. 2019, Bertelsmeier and Oilier 2020, Hulme et al. 2020, Nuñez et al. 2020, Hulme 2021, Vilà et al. 2021) should allow much greater embedding of biosecurity into One Health and vice versa than has occurred to date. Despite similar definitions, there remain differences between One Health and biosecurity in the communities they service and in the dominant approaches applied to deliver their goals, the strategies for doing so, the sectors and taxa targeted, and the key players responsible for delivery (table 1). Why has there been such little

Received: November 27, 2024. Accepted: June 20, 2025

© The Author(s) 2025. Published by Oxford University Press on behalf of the American Institute of Biological Sciences. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted reuse, distribution, and reproduction in any medium, provided the original work is properly cited.

Box 1. The disconnect between One Health and biosecurity

Biosecurity relates to the research, procedures, and policies that cover the exclusion, eradication or effective management of the risks posed by the introduction of alien plant pests, animal pests and diseases, animal diseases capable of transmission to humans (zoonoses), the release of genetically modified organisms and their products, and the management of invasive alien species and genotypes (Hulme 2020). As such, it encompasses issues central to One Health, including the importation of human pathogens into a country and the spread of their alien vectors and reservoir hosts. To assess the extent to which the topic areas of One Health and biosecurity overlapped, a bibliometric analysis was undertaken on 22 October 2023 examining all articles archived on Web of Knowledge and published between 1 January 2000 and 31 December 2023. The search terms used were the keywords *One Health*, *biosecurity* or both terms together ("*One Health*" and "*biosecurity*") to capture the frequency with which these two keywords were addressed jointly. The search was restricted to author-defined keywords together with Keywords Plus because this ensured the most relevant articles were retrieved and is known to be an effective way to capture the knowledge structure of scientific fields as well as an article's content (Hulme 2024b). Although this search strategy is conservative, there is no a priori reason why it would disadvantage either One Health or biosecurity proportionally more than the other, and because the analysis is comparative, any biases should be similar for each keyword allowing for general insights. (See figure 1).




Figure 1. Despite an increasing number of articles addressing either One Health (3675) or biosecurity (3169) being published in the last two decades, few articles (38) examine the topics jointly.

Despite over 3000 articles being retrieved for either One Health or biosecurity less than 0.6% address the two subjects jointly and these were generally from a perspective of biosafety. Web of Science assigns each article to one or more of 252 Research Areas in science, social sciences, as well as the arts and humanities and is generally considered the best high-level classification scheme for detailed bibliometric analysis (Hulme 2024b). While 6 out of the top 10 research areas were common to One Health or biosecurity, One Health was focused more on human health whereas biosecurity focused more on the environment ($\chi^2(13) = 1219.96, p < .001$; see figure 2).

(Continued)

cross-fertilization between these disciplines? There are at least three prime reasons for this disconnect. First, both disciplines exhibit strong siloing within different policy and research sectors. Second, the inadequate development or uptake of environmental perspectives in One Health limits the incorporation of threats from biological invasions. Third, the lack of interdisciplinarity in biosecurity has meant that social and health sciences perspectives are largely missing.

The implementation of One Health has largely been focused on frameworks to foster more effective collaboration among specialists in human health, animal health, and ecosystem or environmental health at international or national levels (Blackburn et al. 2016, de La Rocque et al. 2019, Comizzoli et al. 2021, Rizzo et al. 2021, Ogunseitan 2022, Traore et al. 2023). Accordingly, concern has been expressed that there is a disconnect between the high-

level promotion of One Health by multilateral organizations and governments and the reality on the ground in terms of delivering tangible solutions in health prevention and uniting health sectors (Enserink 2010, Ghai and Hemachudha 2022, Lefrançois et al. 2023). In contrast, the delivery of biosecurity outcomes by governments and industry is enshrined in international law, particularly through the Agreement on the Application of Sanitary and Phytosanitary Measures of the World Trade Organization, the International Maritime Organization's (IMO) International Convention for the Control and Management of Ships' Ballast Water and Sediments, the FAO/WHO Codex Alimentarius, the International Plant Protection Convention (IPPC), and the FAO Code of Conduct for Responsible Fisheries (Hulme 2014a, 2021).

One possible reason for the difficulties in reaching effective implementation on the ground is that One Health remains

Box 1. The disconnect between One Health and biosecurity




Figure 2. Notwithstanding the overlap in the top 10 research areas in the Web of Knowledge (with an asterisk), One Health focuses more on 'Public, Environmental & Occupational Health', 'Infectious Diseases', and 'Microbiology', whereas biosecurity focuses more on 'Ecology', 'Biodiversity & Conservation', and 'Plant Sciences'.

The low frequency of articles jointly addressing One Health and biosecurity, together with marked differences in the primary research areas covered highlights a considerable disconnect between research on One Health and biosecurity.

dominated by issues pertaining to human and livestock health (particularly zoonoses), rather than the environment (Elnaïem et al. 2023, Zinsstag et al. 2023, Brown et al. 2024). In fact, a growing body of evidence highlights that the environment remains a poorly developed component of One Health, with many national and regional initiatives effectively ignoring it (Essack 2018, Khan et al. 2018, Humboldt-Dachroeden et al. 2020, Redford et al. 2022). One environmental issue that has been undervalued in One Health but should be a priority is biosecurity and the management of biological invasions (Chinchio et al. 2020, Hulme 2021). In addition to supporting global trade, biosecurity is acknowledged to be a central component in the delivery of current global initiatives to sustainably manage biodiversity and ecosystem services proposed by the Convention on Biological Diversity (CBD) through the Kunming–Montreal Global Biodiversity Framework (Milner-Gulland et al. 2021, CBD and IUCN 2024, Faulkner et al. 2024, Fu et al. 2024). This division between One Health and biosecurity in relation to the importance of environmental perspectives is also reflected in the underpinning science (box 1). Not surprisingly, research on One Health has been focused more on areas associated with human health (e.g., Public, Environmental, & Occupational Health, Infectious Diseases, and Microbiology), whereas research addressing biosecurity has been more strongly focused on the environment (e.g., Ecology, Biodiversity and Conservation, and Plant Sciences). Furthermore, even those studies that consider the environment within a One Health context have been focused primarily on wildlife reservoirs, zoonoses, or antimicrobial resistance rather than on biodiversity or ecosystem services (Hulme 2021).

One Health and biosecurity both aim to protect and sustain life by addressing complex, interlinked health, agricultural, and environmental challenges through integrated and interdisciplinary approaches. Both require input from diverse disciplines, including biology, environmental science, public health, agriculture,

data science, and social sciences, to develop effective strategies (table 1). Considerable effort has been invested in determining what this might look like for One Health (Zinsstag et al. 2021, Prata et al. 2022b). In contrast, for biosecurity, there has only been limited cross-fertilization among human, animal, plant, and ecosystem health because of strong sectorial identities associated with specific international standards, individual economic sectors, specific research communities, and unique stakeholder involvement (Hulme 2014a). Furthermore, within biosecurity, the science supporting human, animal, plant, and ecosystem health sectors largely draws from a distinct literature base, with perspectives on ecosystem and plant health being largely disconnected from those addressing human and animal health (Hulme 2024b). Although an understanding of human behavior, societal values, and public perceptions are important to both One Health and biosecurity, this remains relatively poorly developed in the latter, especially with regard to plant and ecosystem health (Hulme et al. 2023). The lack of integration and collaboration may be a consequence of perceptions, with biosecurity considered within the field of veterinary medicine as an essential means to prevent and manage livestock diseases, whereas, in the context of public health, it is often regarded as synonymous with biosafety and preventing bioterrorism (Hulme 2024b). A more inclusive definition of biosecurity will challenge this limited conceptualization of biosecurity as it relates to human health and may hold the key to more innovative routes to operationalize One Health.

The foregoing points to the significant complementarity between One Health and biosecurity, where the interdisciplinary and collaborative frameworks of the former can be integrated with the existing policy instruments and implementation pathways of the latter. A closer union between biosecurity and One Health would connect a wider group of multilateral organizations and conventions, bring together a broader set of key players and stakeholders,

Table 1. Summary of some of the main characteristics of One Health and biosecurity with illustrative examples of key players and organizations, applications, strategies, and challenges.

Characteristic	One Health	Biosecurity
Definition	Integrated, unifying approach that aims to sustainably balance and optimize the health of people, animals, and ecosystems	Integrated approach to managing relevant risks to human, animal and plant life and health, and the environment
Scope	Broad and holistic, including human, animal, and environmental health	Focused on mitigating biohazards to human well-being, agriculture or biodiversity
Approach	Collaborative and interdisciplinary	Regulatory and preventive
Key Players	Epidemiologists, health advocates, public health workers, veterinarians	Aquaculturists, ecologists, farmers, foresters, land managers, veterinarians
Major focus	Disease prevention, health promotion, environmental stewardship	Containment and control of invasive alien species and pathway management
Example application	Public health, veterinary care, environmental management	Border controls, farm hygiene, prohibited species lists
Key goals	Promote health equity, sustainability, and biodiversity conservation	Protect economy, agriculture, human health and environment from biological invasions
Example strategies	Health education, prophylaxis, surveillance, vaccination	Biological control, inspection, quarantine, surveillance
Main challenges	Lack of implementation through policy and legislation	Balancing prevention with trade and travel
Intergovernmental organizations	FAO, UNEP, WHO, WOA	Cartagena Biosafety Protocol CBD, IMO, IPPC, IUCN, WOA
Illustrative cases	Zoonotic diseases (e.g., Ebola, highly pathogenic avian influenza, MERS, SARS, Zika)	Invasive alien species (e.g., fall armyworm, raccoon, ragweed, zebra mussel)

Note: One Biosecurity acts to build on similarities between One Health and biosecurity while also bridging any differences by integrating human, animal, plant, and ecosystem health more effectively within biosecurity.

and extend the breadth of strategies and approaches to address future challenges more effectively (table 1). However, such a closer union requires at least two major challenges to be overcome. The first is to increase awareness among public health professionals and policymakers that alien microbes, fungi, algae, plants, and animals pose a significant risk to health and human well-being. The second is to develop an interdisciplinary biosecurity culture that adopts a holistic and cross-sectorial approach recognizing the interdependencies among impacts on human, animal, plant, and ecosystem health. One route to overcome these two challenges and forge a closer union between One Health and biosecurity is the concept of One Biosecurity.

One Biosecurity has been recently defined as “an interdisciplinary approach to biosecurity policy and research that builds on the interconnections between human, animal, plant, and ecosystem health to effectively prevent and mitigate the impacts of invasive alien species” (Hulme 2020). A more integrated approach has major benefits by streamlining policy and legislation across different sectors, encouraging more holistic cross-sectoral assessments of threats, catalyzing interdisciplinary research programs targeting common goals, and enabling more effective communication of biosecurity messages to stakeholders and the public. Although invasive alien species are only one aspect of the environment that affect human health and well-being, they are significant agents of environmental change and a leading cause of biodiversity loss and therefore the cause of great damage to nature’s contributions to people (defined as all the benefits and detriments that people get from their relationships with the rest of the living world) and good quality of life (Pyšek et al. 2020, Roy et al. 2024). Furthermore, biological invasions encompass issues central to One Health including the introduction of human pathogens into a country and the spread of their alien vectors and reservoir hosts. Nevertheless, it is important to emphasize that One Biosecurity is not an alternative to One Health but proposes a holistic approach to the

threats posed by biological invasions that adversely affect biodiversity and also ultimately affect human health, well-being, and livelihoods.

Although the current concept of One Biosecurity emerged relatively recently, it has gained increasing traction at intergovernmental, national and subnational levels as a holistic approach that could address some of the current deficiencies in the management of biological invasions. For example, the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) has highlighted One Biosecurity as a valuable collaborative, multisectoral, and transdisciplinary framework to prevent and control invasive alien species (IPBES 2023). Similarly, the CBD and the World Conservation Union (IUCN) have stated that it would be beneficial to take a One Biosecurity approach to the management of biological invasions where national authorities responsible for managing risks to the environment and biodiversity, agriculture, and human health are working together (CBD and IUCN 2024). The FAO has recommended that members’ capacities are strengthened through a more integrated One Biosecurity approach that coordinates and transcends sector specific approaches and interventions on the upstream prevention and the sound management of risks to food security (FAO 2024).

In its review of the national biosecurity system, the New Zealand government aims to implement a One Biosecurity approach by creating an integrated, connected, and efficient biosecurity system to deliver better coordination across government, communities, and business while using technology and data for more informed, timely, and risk-based decisions (MPI 2023). The National Biosecurity Policy and Action Plan 2022–2026 of the Nigerian Ministry of the Environment proposes One Biosecurity as a means to develop partnerships among relevant stakeholders to minimize and manage high-priority biosecurity threats to the integrity and reputation of the nation’s primary produce (Ikeazor 2022). Furthermore, reviews of the national biosecurity policies

in Malaysia (Shafie and Osman 2024) and South Africa (Wilson and Kumschick 2024) have recommended the incorporation of a One Biosecurity approach. Even in the absence of national regulations, there is evidence of individual industries recommending the adoption of a One Biosecurity approach. One of the key recommendations proposed by Australian Pork Limited in its national biosecurity strategy was to deliver the cultural change required to drive a One Biosecurity approach to facilitate ownership among a diverse array of stakeholders, including all levels of government, including health, tourism, community services and regional development, critical industry sectors, indigenous communities, and community groups (Australian Pork Limited 2021).

There is increasing momentum for One Biosecurity to bring together biosecurity practices needed for human, animal, plant, and environmental health whether to improve the monitoring of threats to plant health (Soubeyrand et al. 2024), provide a comprehensive risk management framework in animal health (Chan et al. 2021), or present more consistent public-facing health messaging (Elnaïem et al. 2023). One Biosecurity therefore has the scope to bridge the human, animal, plant, and ecosystem health sectors to stimulate more concrete incorporation of wider environmental perspectives into One Health.

To initiate more focused discussions on the role One Biosecurity can play in supporting One Health, we address the two main challenges limiting a closer union between biosecurity and public health. First, we set out why a more sustained effort is needed to raise awareness of the public health risks posed by alien species in terms of their direct impacts through communicable (e.g., zoonoses) and noncommunicable (e.g., allergies) diseases, as well as their wider indirect impacts on human well-being and livelihoods through impacts on ecosystem services and biodiversity. Second, by examining the complex web of interactions that link invasive alien species to human, animal, plant, and ecosystem health we point out the advantages of having public health clearly embedded into biosecurity thinking and highlight common tools and data that can be better employed to serve human, animal, plant, and ecosystem health sectors. Finally, we use the biosecurity continuum as an example of how a One Biosecurity approach to forecasting risks offshore, managing introduction pathways, inspecting people and goods at the border, and surveillance and management beyond the border can facilitate the implementation of One Health.

Biological invasions require greater consideration in One Health

Over the last decade, an increasing body of work has highlighted the threat that invasive alien species pose to human health (Conn 2014, Mazza et al. 2014, Schindler et al. 2015, Mazza and Tricarico 2018, Chinchio et al. 2020, Roy et al. 2023). In general, the direct effects of invasive alien species on human health have received the greatest attention in the literature but in this section, we also emphasise the indirect effects (especially on food security) that merit a more considered appraisal within One Health.

Direct impacts of biological invasions on human health

The direct threats of invasive alien species on human health can be summarized into four broad issues that illustrate the importance of considering biosecurity within One Health. Specifically, we briefly describe how a biosecurity lens can support public health actions addressing: 1) zoonotic pathogens that are them-

selves often invasive alien species spread by the movement of infected humans and animals and by various other pathways; 2) invasive alien species that are vectors for zoonotic pathogens and parasites in regions where no such vectors were previously present; 3) invasive alien species acting as new hosts for existing pathogens; and 4) alien species directly affecting human health (e.g., as sources of allergens and toxins, or being themselves venomous). Rather than document a suite of examples, the aim is to illustrate how the process of applying biosecurity principles to the management of these threats can improve public health outcomes.

Human zoonotic pathogens as invasive alien species

Despite calls to consider SARS-CoV-2 and other pandemic diseases as biological invasions because of the similar processes of human transport across the globe, establishment often from a small inoculum in a new region, and subsequent spread in that region (Bertelsmeier and Ollier 2020, Nuñez et al. 2020, Vilà et al. 2021), few advances have been made to bridge disease and invasion biology (Hulme et al. 2020). In general, there has been less emphasis on pathogens themselves as invasive alien species compared with nonmicrobial taxa (Roy et al. 2017). For example, the global listing of 100 of the worst invasive alien species in the world does not include any human pathogens (Lowe et al. 2000). Similarly, despite the comprehensive nature of the recent IPBES *Thematic Assessment Report on Invasive Alien Species and their Control*, the detailed treatment of zoonotic pathogens as biological invasions was out of scope (IPBES 2023). But an understanding of the international movement of infected people and animals together with knowledge of the likelihood of further transmission at their destination is a critical public health issue that relies on sound biosecurity principles. For example, measles was introduced to Oceania by European settlers and although eradicated from Australia in 2014 and New Zealand in 2017, the importation of the virus into New Zealand in 2019 on an infected international traveler resulted in an outbreak which spread to Australia and Samoa resulting in over 80 deaths (Durrheim et al. 2024). Similarly, the Middle East respiratory syndrome coronavirus (MERS-CoV) was first identified in Saudi Arabia in 2012, but an international traveler introduced it into South Korea in 2015, resulting in human-to-human transmission and an outbreak that killed 89 people (Lee 2016). Public health measures therefore need to consider the biosecurity risks posed by imported cases and to better understand the origin, number, and frequency of potential introduction events that could initiate or further exacerbate a disease outbreak. Without such knowledge, public health measures may be ineffective. The exceptionally porous international borders in West Africa meant that, during the 2014 Ebola outbreak, as long as one country experienced intense transmission of the pathogen, the neighboring countries remained at risk, no matter how strong their own public health measures had been (WHO 2015). At a global scale, the goal to reduce hepatitis C infections worldwide by 90% by 2030 (Cooke et al. 2019) needs to recognize that a significant proportion of cases reported by countries are imported (ECDC 2024). Furthermore, mosquito-borne diseases such as Zika, dengue, and chikungunya are frequently imported into countries where these diseases are not endemic, which, with the presence of appropriate alien mosquito vectors, has led to short-term outbreaks (Silburn and Arndell 2024). Where outbreaks have not occurred, it is thanks to the absence of appropriate vectors. An effective public health response therefore relies on an understanding of biological invasions and the implementation of appropriate biosecurity.

Although the international movement of humans is a key driver of the establishment of invasive alien zoonotic pathogens into new regions, other pathways of introduction also exist. The international trade in animals is a well-recognized means through which human pathogens have been introduced worldwide. An outbreak of monkeypox in 81 humans in the United States in 2003 was traced back to a child being bitten by pet prairie dogs (*Cynomys ludovicianus*) that had contracted the virus from Gambian giant rats (*Cricetomys gambianus*) imported into the United States for the pet trade (Brown 2008). The prion disease responsible for bovine spongiform encephalopathy that can cause variant Creutzfeldt-Jakob disease in people following the consumption of meat products was introduced to the United States and Canada through the import of a single infected cow (Lewis et al. 2010).

However, trade in other products can also lead to the introduction of pathogens that subsequently infect humans. In the 1970s and 1980s, contaminated blood products imported into the United Kingdom from the United States resulted in the infection of 30,000 people with hepatitis C or HIV virus, resulting in several thousand deaths to date (Lancet Infectious Diseases 2024). There are a wide range of emerging pathogens that can be transmitted through the transfusion of blood and associated products such that international blood imports are likely to pose a route for the introduction of nonendemic pathogens to low-income countries where routine testing is less frequent (Fong 2020). The import of commodities sourced from animals may also present a risk of introducing human pathogens. For example, anthrax outbreaks have been associated with the importation of wool and animal hides, and these commodities can pose an emerging threat to countries claiming to be free of the disease (Wattiau et al. 2008). Finally, there are cases where pathogens can be spread into new regions without any association with human or animal products. For over a century, South America was cholera free, but an epidemic began in 1991 as a result of toxigenic *Vibrio cholerae* O1 from Asia being introduced through contaminated ballast water into Peruvian ports by international vessels (Seas et al. 2000). National and international policies addressing biosecurity have increasingly applied frameworks to manage introduction pathways of invasive alien species (CBD and IUCN 2024), and there would seem to be a strong case for developing similar frameworks relating to human health.

Alien species as vectors of zoonotic pathogens and parasites

The archetypal invasive alien threats to public health are mosquitoes (e.g., *Aedes*, *Anopheles*, *Culex*), which have been inadvertently introduced into new regions where they can vector zoonotic diseases such as malaria, dengue, chikungunya, and West Nile virus (Cuthbert et al. 2023). The annual global public health cost of just two invasive mosquitoes (*Aedes aegypti* and *Aedes albopictus*) has been estimated to be almost \$2 billion (Roiz et al. 2024). Although there are many other invasive hematophagous arthropods that are vectors of zoonotic diseases (e.g., phlebotomine sand flies, culicoides midges, body lice, fleas, hard and soft ticks), their impacts are less well understood (Hulme 2014b, Cuthbert et al. 2023). In 2010, the phlebotomine sand fly (*Lutzomyia longipalpis*), which is a vector for canine and human leishmaniasis, was recorded for the first time in Uruguay and led to an outbreak of canine visceral leishmaniasis that also constitutes an emerging zoonotic risk to the human population (Satragno et al. 2017). Following its introduction in 2017, the Asian longhorned tick (*Haemaphysalis longicornis*) has spread in the United States, where it has the potential to transmit endemic and emerging zoonotic pathogens when biting humans

(Molaei et al. 2022). Cats were introduced into New Zealand by European settlers in the nineteenth century and several emerging zoonotic pathogens including *Bartonella henselae*, *Bartonella clarridgeiae*, and *Rickettsia felis* have been found in cat fleas (*Ctenocephalides felis*), suggesting humans are likely to be infected (Kelly et al. 2005). The pathway of introduction of these pathogens is unclear but the biosecurity procedures for cat imports focus on preventing the entry of external (ticks and fleas) and internal (cestodes and nematodes) parasites, as well as respiratory diseases rather than zoonotic pathogens (MPI 2021). Without standard serological assessment of imported animals, it is likely that pathogens will breach international borders when hosts are asymptomatic.

Alien species as hosts of zoonotic pathogens and parasites

By far the most frequent role that invasive alien species play in zoonoses is as either primary or secondary hosts of existing or emerging pathogens and parasites (Roy et al. 2023). Vertebrates represent the vast majority of alien zoonotic hosts, particularly mammals and waterfowl, although bats and primates, despite often being the focus of One Health, are poorly represented because of their infrequent invasions (Zhang et al. 2022). Alien vertebrates are important reservoir hosts of diseases vectored by arthropods (e.g., Lyme disease, tularemia, rickettsial infections) but also through their feces and urine, they contaminate the environment with pathogens responsible for salmonellosis, toxoplasmosis, and leptospirosis (Hulme 2014b). Several mollusks, especially snails, are intermediate hosts for platyhelminths and nematodes that infect humans (Mazza et al. 2014). Alien zoonotic hosts are a particular cause for concern because they thrive in anthropogenic environments, increasing the risk of transmission to humans and potentially opening the door to the establishment of new emerging diseases with which they have coevolved in their own native ranges (Hulme 2014b). Furthermore, at least for mammals, there is an indication that alien populations can be more widely infected by zoonotic pathogens than sympatric native host populations (Roy et al. 2023). Alien species have increased the frequency of zoonosis events worldwide, with regions having a high number of alien species that are hosts to zoonotic disease-causing agents also unsurprisingly having many zoonosis events that are correlated with the timing of alien host introductions (Zhang et al. 2022). Through its strong focus on prevention, a One Biosecurity approach could help avert future pandemics, potentially resulting in annual savings of several billion dollars to the global economy (Bernstein et al. 2022).

Although they are not technically zoonotic, there is even evidence for alien plants acting as hosts of human pathogens. *Cryptococcus* fungi are a leading cause of cryptococcosis in humans and animals and for *Cryptococcus neoformans* var. *gattii*, exposure to its host *Eucalyptus camaldulensis*, an invasive alien tree in many parts of the world, is necessary for infection (Ellis and Pfeiffer 1990). Many North American pines are invasive in New Zealand and Australia and their bark appears to be a suitable host for *Legionella longbeachae* and, when used to produce compost and potting mix, has resulted in Legionnaires' disease among gardeners in both countries (Chambers et al. 2020).

Nonzoonotic impacts of alien species on human health

Alien species can affect human and animal health directly through the production of allergenic pollen and dust, toxins, and venoms, as well as through physical injuries (Nentwig et al. 2017, Lazzaro et al. 2018). The significance of these impacts on human health are difficult to gauge because reports are often anecdotal

and the scale of harm is hard to quantify. However, it is likely that their overall impact on human health is several orders of magnitude less than the impact of alien species that are vectors or reservoir hosts of zoonoses (Bradshaw et al. 2016). Furthermore, similar or even greater harm to human health may arise from sympatric native species (evidence that alien species are causing distinct impacts is therefore important). Nevertheless, there are several alien species that stand out in terms of their nondisease related public health risk. Following its arrival from South America in the twentieth century, the red imported fire ant (*Solenopsis invicta*) now infests most of the southern United States where between 30% to 60% of residents are stung painfully each year, in some cases resulting in potentially life-threatening manifestations of bronchospasm, laryngeal oedema, or hypotension (Kemp et al. 2000). Common ragweed (*Ambrosia artemisiifolia*) was introduced to Europe in the nineteenth century and has become widespread on the continent (Essl et al. 2015) where today some 13.5 million persons suffer from Ambrosia-induced allergies (allergic rhinitis and severe asthma) that are estimated to cost US\$80 billion annually (Schaffner et al. 2020). The aptly named nomad jellyfish (*Rhopilema nomadica*) invaded the eastern Mediterranean from the Red Sea through the Suez Canal in 2011 and is now the main source of jellyfish stings in the region resulting in swelling, whiplike lesions and blisters with some permanent scarring (Edelist et al. 2023).

Indirect impacts of biological invasions on human health

The ramifications of biodiversity loss on human health are as yet poorly known but mounting evidence points to a risk of increasing emergence of zoonotic diseases (Keesing and Ostfeld 2021). For this reason, the CBD launched its global action plan on biodiversity and health, which aims to mainstream biodiversity and health interconnections into national policies (CBD 2024). Invasive alien species are one of the major causes of biodiversity loss across all regions of Earth (IPBES 2023) and therefore may be expected to have indirect impacts on human health. The WHO defines health as a “state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity” (Schramme 2023), and therefore, health is embedded in the quality of the material, nonmaterial, and regulating services to people. Biological invasions often degrade the quality of nature’s contributions to people, whether these are material contributions such as food and water, regulating contributions such as pollination and pest control, or nonmaterial contributions such as recreation and sense of place (Vilà and Hulme 2017, IPBES 2023). The negative impacts biological invasions have on ecosystem services can certainly have downstream implications for human health, but they have been little explored in any quantitative manner.

The United Nations General Assembly adopted 17 Sustainable Development Goals (SDGs) that ultimately aim to improve human health and well-being through societal, economic, and environmental transformation (Weeks et al. 2023). Compared with One Health, research addressing biosecurity addresses a much broader range of SDGs (box 2). This is especially marked for those SDGs relating to wider environmental impacts on human well-being such as climate change (SDG13, climate action) and the loss of biodiversity on land (SDG15, life on land) and in water (SDG14, life below water) but also food security (SDG02, zero hunger), whereas One Health research is largely focused on the direct outcomes of improved public health (SDG03, good health and well-being).

The dominant focus on disease and infirmity rather than physical, mental, and social well-being in One Health highlights a major gap in its broad aim to optimize the health of people, animals, and ecosystems. However, it is noticeable that biosecurity research has not advanced gender issues (SDG05) as much as One Health, despite evidence that invasive alien species can disproportionately affect women more than men (Christie et al. 2025).

The material contribution that has received most attention in terms of the impact of biological invasions on human health is the provision of food for human consumption (IPBES 2023), which is integral to SDG02, zero hunger. Alien pathogens and parasites can have a major impact on food security through their effects on livestock health and include several major transboundary diseases such as foot and mouth disease, African swine fever, and highly pathogenic avian influenza (French 2017). Rinderpest, an infectious viral disease of cattle was likely introduced into Ethiopia by Italian troops in the late nineteenth century, and the subsequent plague wiped out livestock and other ungulates, contributing to perhaps 400,000 human deaths in the Great Ethiopian Famine of 1888–1892 (Pankhurst 1966). However, some of the most dramatic examples of alien pathogens resulting in famine stem from plant health. The Irish potato famine in the nineteenth century was the result of potato blight (*Phytophthora infestans*) being introduced from the United States, causing massive crop failure and an estimated death toll of 1.0–1.5 million people (Powderly 2019). The Bengal famine in 1943 was driven by production losses in rice of 40%–90% caused by a virulent strain of the brown spot fungus (*Cochliobolus miyabeanus*) and resulted in an estimated 2 million deaths (Padmanabhan 1973).

Outside of large-scale famines, the indirect consequences of alien crop pest, pathogens, and weeds on human health through malnutrition have not been quantified (IPBES 2023). Models of the impact of African swine fever, a virulent disease of pigs that recently spread into Eastern Asia and subsequently Europe, suggest declines in calorie availability in most regions affected (Mason-D’Croz et al. 2020). Alien pests and pathogens of agricultural crops are expanding their global ranges (Bebber et al. 2014) and challenge food security by reducing crop yields and quality (Fried et al. 2017). Emerging plant pathogens have been estimated to lead to production losses worth over US\$1.4 billion annually on food crops across Africa (Sileshi and Gebeyehu 2021). These invasions exacerbate existing problems of poverty (SDG01, no poverty) that result in insufficient quantity or quality of food that has a major impact on human health (Friel and Ford 2015) with undernutrition an underlying cause in 45% of all child deaths worldwide (Mark et al. 2020). Alien species pose a particular problem in low-income economies where impacts are often on staple crops (e.g., cassava, sorghum) that are essential to the nutrition of the local community (Pratt et al. 2017). Even a single invasive alien pest can cause major impacts on food production and local livelihoods. The fall armyworm (*Spodoptera frugiperda*) is a destructive caterpillar native to tropical and subtropical regions of the Americas that is now established as an alien pest in more than 40 countries, with the estimated annual losses to maize yields being \$13 billion (Mendesil et al. 2023). Local communities in Africa have been found to experience greater hunger following fall armyworm invasion (Tambo et al. 2021). Even where crops are not staples but commodities for export, the health of local communities can be affected where the management of alien pests, pathogens, and weeds require more intensive application of pesticides (Cocco 2016, Yang et al. 2021).

The consequences for public health of alien species affecting regulating and nonmaterial contributions of nature to people are

Box 2. Differential contribution of One Health and biosecurity research to the UN Sustainable Development Goals

Categorizing the articles arising from a bibliometric search (described in box 1) using the Web of Science Sustainable Development Goal classes (Lenzner et al. 2024) reveals marked difference between One Health and biosecurity ($\chi^2(15) = 1551.32$, $p < .001$, see figure 3). Overall, articles in One Health have a stronger emphasis on good health and well-being (SDG03) and clean water and sanitation (SDG06), whereas biosecurity articles have a stronger representation in life on land (SDG15), climate action (SDG13), life below water (SDG14), zero hunger (SDG02), and sustainable cities and communities (SDG11).




Figure 3. Different emphasis on the UN Sustainable Development Goals in research articles addressing One Health and biosecurity.

less well understood, but two examples give a flavor of these effects (Vilà and Hulme 2017). Rather than regulating pest numbers, certain alien plants such as water hyacinth (*Pontederia crassipes*), Japanese barberry (*Berberis thunbergii*), multiflora rose (*Rosa multiflora*), and lantana (*Latana camara*) can increase pest problems (SDG03, good health and well-being) by providing habitats for insect vectors of human pathogens increasing their local density and the incidence of infection (Mazza et al. 2014, Hulme 2020). Urban trees provide an important cultural service in cities by combating air pollution (SDG11, sustainable cities and communities), but the loss of 100 million street trees because of emerald ash borer (*Agrilus planipennis*) invasion across 15 US states was associated with over 6000 additional human deaths related to cardiovascular and lower-respiratory-tract illness, with the effect being greater as the invasion progressed (Donovan et al. 2013). Similarly, a large cohort study was necessary to highlight that children who lived in areas with natural vegetation during most of their childhood experienced fewer asthma symptoms than those who lived most of their early life closer to large stands of invasive alien species such as gorse (*Ulex europeaus*) and Monterey pine (*Pinus radiata*) in New Zealand (Donovan et al. 2018). Greater effort is needed to quantify the human health impacts of biological invasions and this requires a more rigorous appraisal such as mortality, morbidity, years of potential life lost or disability-adjusted life years instead of qualitative scoring of the possible magnitude of impacts (Thacker et al. 2006). A major gap in the communication of the impacts of biological invasions on public

health is the absence of quantitative studies assessing their long-term effects on the complete physical, mental, and social well-being of the public, as well as on the prevalence of disease and infirmity.

Cross-sector impacts require biosecurity to be interdisciplinary

The foregoing has pointed to the multiple direct and indirect ways biological invasions can affect human health and well-being. Despite the important role that biosecurity plays across all the SDGs, approaches to assessing the risk and management of invasive alien species are often sector or discipline specific, as is illustrated by the WOAHA Terrestrial and Aquatic Animal Health Codes (Thompson et al. 2024), the IUCN Environmental Impact Classification for Alien Taxa (Hawkins et al. 2015), and the IPPC Framework for Pest Risk Analysis (FAO 2019). Not every organism introduced to a new region will affect multiple sectors, nor will human health always be affected, but there are sufficient examples of alien species causing multisectoral impacts with consequences for the physical, mental, and social well-being of the public that such interactions need to be given serious consideration (table 2). Often, the impacts on human health parallel those on animal health because of shared parasites and pathogens or direct harm because of stings, bites, toxins, or allergens. In contrast, impacts on plant and ecosystem health can be quite different from those on animals and humans.

Table 2. Examples of invasive alien plants and animals known to have impacts across human, animal, plant, and ecosystem health.

Organism	Name	Human health	Animal health	Plant health	Ecosystem health
<i>Gymnodinium catenatum</i>	Naked dinoflagellate	Toxic microalgae that cause paralytic shellfish poisoning	Mass mortality at shrimp farms due to bloom toxins	Contaminates algal aquaculture production	Blooms intercept light and affect benthic species
<i>Datura stramonium</i>	Jimson weed	Humans poisoned by eating flour contaminated with seed	Toxic pyrrolizidine alkaloids in feed can kill livestock	Important weed reducing yields in cereal crops	Outcompetes annual plants, toxic to native mammals
<i>Ambrosia artemisiifolia</i>	Common ragweed	Highly allergenic pollen can induce allergic rhinitis	A cause of obstructive airway disease in horses	Important weed reducing yields in cereal crops	Competes with native plants and can alter biodiversity
<i>Vespula vulgaris</i>	Common wasp	Stings are painful and can lead to anaphylactic shock	Wasps attack honeybees and destroy hives	Wasps reduces bee pollination of crops	Compete with native insects and birds for insect prey
<i>Solenopsis invicta</i>	Red imported fire ant	Multiple painful stings often require medical attention	Nuisance pest of livestock, especially confined animals	Feeds on plants, and seeds and can girdle citrus trees	Reduces diversity of insects particularly other ant species
<i>Achatina fulica</i>	Giant African land snail	Vector of rat lungworm to humans	Host of several pathogens and parasites of livestock	Crop damage and vector of plant pathogens	Outcompetes native gastropods
<i>Branta canadensis</i>	Canada goose	Public health risk of fecal matter in waterbodies	Subject to avian influenza and could spread disease	Economic damage to crops on farmland	Aggressive and competitive toward native wildfowl
<i>Sturnus vulgaris</i>	European starling	Implicated in transmission of numerous human diseases	Transmit <i>Escherichia coli</i> O157:H7 from farm to farm	Costs millions of dollars in agricultural damage annually	Contributed to the decline of local native bird species
<i>Rattus norvegicus</i>	Norway rat	Host the plague bacterium <i>Yersinia pestis</i>	Spread livestock disease by contaminating feed with urine	Damage crops and stored grain	Lead to local extinction or range reduction of species
<i>Sus scrofa</i>	Feral pig	Carry trichinosis which is potentially fatal in humans	Reservoir host of foot-and-mouth disease	Extensive damage to agricultural crops	Rooting behavior disturbs soils
<i>Procyon lotor</i>	Raccoon	Host of rabies	Transmits canine distemper or raccoon roundworm	Significant cause of crop damage	Predation on a wide range of vertebrate prey

Note: Information for each species is drawn from the relevant datasheets of the CABI Compendium (CABI 2024).




Figure 5. Schematic representation of activities undertaken along the biosecurity continuum that reduce the risk of an alien species incursion or a disease outbreak, highlighting seven specific One Biosecurity actions that would support One Health. These activities would involve approaches common to both public health and biological invasions before the border, at the border, and beyond the border and are meant to be illustrative rather than exhaustive. The essential message of One Biosecurity is that these activities need to be viewed as part of a whole package and therefore require integrated governance.

the management of biological invasions at a global scale through a stronger regulatory instrument and the establishment of a multilateral biosecurity convention. However, the opportunities for One Biosecurity to help implement One Health at a national scale have not yet been explored. The biosecurity continuum (Gordh and McKirdy 2014) describes processes and interventions before the border (general surveillance and forecasting a threat prior to its arrival in a region), at the border (involving inspection and quarantine procedures), and after the border (early detection and rapid outbreak response and management). It presents a suitable framework for coordinated approaches across multiple sectors and scales that could deliver increased gains for One Health than at present. Seven areas are described that draw on examples from both biological invasions and public health to illustrate the utility of this framework that is inherent in the concept of One Biosecurity (figure 5)

Open-source intelligence to scan for emerging species threats across multiple sectors

Across all sectors, whether human, animal, plant, or ecosystem health a fundamental component of managing future risks is knowledge of emerging threats. The most effective means to address these threats is to prevent their arrival by knowing their likelihood of introduction (figure 5, pre-border offshore risk). If the likelihood that an alien species will be introduced is known, preventative measures can be implemented and the threat effectively addressed. Although there are a wide range of foresight methods available to forecast future threats (Hulme 2025), the most pressing need is for tools that can provide rapid (and frequently updated) real-time analysis of newly emerging pests,

pathogens, and weeds. Increasingly open-source intelligence (OSINT) tools are being deployed to gather and analyze publicly available information (drawn from social media sites, news item, blogs, e-commerce platforms, etc.) to assess threats to public health (Bernard et al. 2018, MacIntyre et al. 2023) and risks from invasive alien species (Grossel et al. 2017, Tateosian et al. 2023). Despite the promise of automated systems scanning a wide range of digital information sources and feeding information into artificial intelligence algorithms that screen the data to present details of emerging risks many tools have become obsolete because of their cost and low success rate (Hulme 2025). Furthermore, even OSINT systems aiming to deliver similar global surveillance for emerging infectious diseases, such as HealthMap and the WHO Epidemic Intelligence from Open Sources, draw from different information sources and present conflicting estimates of risk (Ganser et al. 2022). A One Biosecurity approach could secure a longer-term future for such systems by consolidating OSINT tools across different sectors and data sources so that searches pick up not only emerging infectious diseases but also alien species. This is entirely feasible as illustrated by MEDISYS, a fully automatic surveillance platform retrieving news articles in order to detect emerging threats to public health in Europe that has recently been customized and expanded to cover plant and animal health (Mannino et al. 2021). By avoiding duplication and aiming for standardized information delivery, a cross-sector OSINT platform would facilitate the cross-referencing of different lines of information to provide a more complete picture of emerging risks such as where new records of multiple stings on the lower limbs of children (a public health notification) might point to the local establishment of the red imported fire ant (an invasive alien species of concern).

Integrated analysis of shared introduction pathways

If knowledge of the emergence of a biosecurity threat is obtained sufficiently early then the threat may be contained; otherwise, there is a risk that the invasive alien species will spread to other regions. Managing these risks requires an understanding of how these biological threats might be introduced in a region, whether deliberately (perhaps as a form of bioterrorism) or accidentally as a contaminant or stowaway on or in other products (figure 5, pre-border pathway risk). At a global scale, the spread of coronavirus (Ganser et al. 2022) and alien plant pests (Tatem 2009) have both been modeled in relation to the worldwide flows in the airline passenger network. Other vectors for the long-distance movement of organisms include migratory birds and the ballast water in ships, the former being associated with zoonotic diseases, whereas the latter is a pathway for coastal invasions. Although interest has been shown in modeling migratory pathways of birds as a potential route for the spread of avian influenza (Fourment et al. 2017), birds also vector alien species such as ectoparasites (Pandey et al. 2022) and commensal species (Costa et al. 2019). However, the opportunities to explore bird migration data to model the spread of organisms other than microbes remains underexplored. Similarly, although shipping routes have been the focus for modeling the global distribution of alien species in ballast water (Seebens et al. 2013), this is also a pathway for the introduction of human pathogens (Ruiz et al. 2000). Despite drawing from similar information sources, approaches to assess risks through introduction pathways have developed independently in the areas of human, animal, plant, and ecosystem health sectors. But at the core are a series of fundamentally similar questions that relate to the likelihood of the uptake of the taxon at the origin, its survival during transit, its chance of detection by public health officials or quarantine officers at the border and the prospect of establishment at the destination (Hulme 2009). A One Biosecurity approach would facilitate the sharing of species dispersal models (Gottwald et al. 2019, Thompson and Brooks-Pollock 2019) and encourage the wider availability of underlying data on different long-distance vectors, such as flight or shipping schedules to foster a global community working on these problems.

Coordinated surveillance at the border for pests, pathogens, and weeds

Whether a commodity, a container or a passenger, biosecurity screening is often undertaken on arrival at a destination, usually at an administrative boundary or political border. Even with effective pre-border interventions, there is a need for border inspection, especially for cryptic organisms (figure 5, border inspection). Nucleic acid based environmental metabarcoding (eDNA and eRNA) provides an opportunity to identify potential biosecurity threats to human, animal, plant, and ecosystem health at the border (Hulme et al. 2023). Methods have been developed for cost-effective sampling of aircraft wastewater to assess the entry of human pathogens into a country from a known departure point (Bivins et al. 2024), as well as for sampling dust in shipping containers to detect plant pests (Trujillo-González et al. 2022). There therefore appears ample opportunity for eDNA tools to support One Health through a biosecurity surveillance context. However, such tools, although they are often effective, require investment in infrastructure and trained personnel for which resources may not be available in many countries.

A viable effective alternative to using eDNA is to employ detection dogs (Collins et al. 2022, Whitehead et al. 2024). Detection

dogs detect biosecurity threats using the odor of volatile organic compounds emitted by risk material. They are increasingly employed to identify risk material being brought in by passengers at international borders (Moser et al. 2023), as well as to detect invasive alien insects (Hoffmann et al. 2022), weeds (Goodwin et al. 2010), and wildlife diseases (Golden et al. 2024) beyond the border. The opportunity to use detection dogs to screen for human disease among international travelers at the border also appears to be a viable, cost-effective screening option (Otto et al. 2021). Nevertheless, at the moment, those employing detection dogs to identify threats to human, animal, plant, and ecosystem health are not sharing their knowledge across sectors, and this limits the development of this area as a tool for One Health. A One Biosecurity approach would facilitate collaborative research to accelerate the effective use of detection dogs through internationally accredited training programs (for dogs and handlers), initiatives for improved dog breeding and welfare, and more effective operational methods that optimize the sensitivity and specificity of detection.

Assessing risks of post-border introduction and spread of pests, pathogens, and weeds

The SARS-CoV-2 pandemic brought home the important role of human mobility in the spread of coronavirus and how certain individuals, locations, and activities could result in superspreader events (Loo et al. 2021). Understanding how an alien microbe, plant, or animal might disperse or be accidentally spread beyond the border is essential to plan any containment or rapid response initiatives (figure 5, post-border surveillance). Capturing the network topology of post-border movements by international travelers is a key element of biosecurity awareness whether it is addressing the risk of visitors bringing pests and pathogens into farms, weeds into national parks, or human pathogens into vulnerable communities. Irrespective of whether the risks are posed to human, animal, plant, or ecosystem health, to determine the likelihood of a biosecurity incursion it will be important to know the distribution of travel distances covered by individual travelers, the locations that attract the most visitors, the activities at a location that will best facilitate transmission, and how vulnerable locations are to a biosecurity threat. Tracking individuals raises many privacy concerns, and there is no overwhelming evidence to suggest that the intrusive contact tracing apps on mobile phones were especially effective at the height of the SARS-CoV-2 pandemic (Littlecott et al. 2023, Pozo-Martin et al. 2023). Rather than mobilize resources during an outbreak, there is a logic to capturing the broadscale trends in human mobility to prepare for future biosecurity threats. Such information can be captured passively by mining publicly available user-generated social media content or data generated automatically by mobile devices (Chen et al. 2024). In some countries, a stratified sample of departing international travelers is interviewed to gain insights into length of stay, sites visited, and activities undertaken, and these can be used to capture mobility patterns with a greater level of detail than social media posts (Hulme 2024a). Although such data may not be immediate enough to trace an ongoing outbreak, the information does provide a means to profile the characteristic of high-risk travelers (on the basis of age, nationality, etc.), as well as identify localities with high risk of transmission or vulnerability to impacts that should perhaps be the focus for surveillance. The common need for capturing human movements and modeling risks of transmission highlights the opportunities for a more joined up One Biosecurity approach.

Social license for vaccination, pesticide application, and culling of pests

The tools used for the management of human and animal diseases, such as vaccination and antimicrobials, often differ from those applied to combat threats to plant and ecosystem health—for instance, pesticides, toxic baits, and culling. Despite these differences, commonalities exist in the deployment of such tools. For example, the strategies of implementing ring vaccination or establishing a cordon sanitaire to manage human infectious diseases have parallels in the management of invasive alien species where control efforts are implemented to establish a containment zone around an outbreak of an invasive alien species (Grice et al. 2020, Hulme et al. 2020). Irrespective of the tools and strategies used, an essential component of any eradication or management campaign is positive engagement with the public to build trust, foster acceptability of the campaign, and encourage participation (figure 5, post-border management). Recognizing the social and psychological impact of a disease or pest outbreak, and its subsequent management on affected stakeholders can help build supportive social values and cooperation that may reduce operational costs by encouraging greater compliance and even voluntary actions of citizens to protect shared values (Hulme et al. 2023). Furthermore, communities that have had a positive experience of a management campaign in one sector (e.g., successful eradication of a crop pest) may in the future be more willing to accept interventions targeting a different sector (such as an infectious disease in humans). Common issues that might underpin the public concerns with vaccines, pesticides, and gene technologies such as mistrust of government and scientists, misinformation, and uncertainty aversion need to be addressed long before any eradication campaign is set in motion. This may be best achieved by community engagement and awareness raising through a One Biosecurity approach across the human, animal, plant, and ecosystem sectors.

Interdisciplinary biosecurity curricula for a skilled One Health workforce

Supporting the implementation of One Health across the biosecurity continuum described above will require a skilled workforce to respond to the increasing exposure of society and the environment to biological threats. Therefore, developing education and training programs that deliver high standards of professional excellence in biosecurity is an essential step in One Biosecurity (figure 5). Unfortunately, a more holistic understanding of biosecurity capacity building is challenged by strong sectorial identities associated with specific international standards and specialized research communities (Hulme 2020). Consequently, although a range of professional qualifications addressing biosecurity already exist, they are more in keeping with the biosafety of new technologies rather than the skillset needed to secure animal and public health or to protect biodiversity and the provision of ecosystem services (Moritz et al. 2020). Similarly, proposals for One Health curricula to support learning and professional development often ignore the role of biosecurity and biological invasions (Frankson et al. 2016, Vicente et al. 2021). Academic institutions and employers must recognize that biosecurity is a multidisciplinary field underpinning One Health and draws on a wide range of subjects including epidemiology, pathobiology, economics, social behavior, and invasion science that should be evident in the curricula employed in undergraduate and postgraduate training (Hulme 2024b). Rather than relying on a set of narrowly focused credentials, implementing a much broader

multidisciplinary curriculum as a foundation for biosecurity professionals will be essential to strengthen the world's ability to prevent, detect, and respond to biosecurity threats worldwide. At the heart of such training programs should be the concept of One Biosecurity, which emphasizes the critical role biological invasions play both directly and indirectly in animal and human health and the range of skills needed for implementation along the biosecurity continuum. Governments and universities may be slow to shift their existing mindsets, but opportunities exist for partnerships involving the public, private, and academic sectors to be built around shared interests in biosecurity education, research, outreach, and implementation that would help support a biosecurity informed One Health curriculum (Hueston 2017).

Adaptive and integrated governance of both biosecurity and One Health

Effective coordination, collaboration, and resourcing are essential to bring together the activities of multiple stakeholders across the biosecurity continuum to deliver One Health. The requirement for integrated governance has been identified as a key component to address both biological invasions (Roy et al. 2024) and One Health (Faijue et al. 2024). The shared need for the development of coherent national strategies, enhanced engagement with stakeholders (including indigenous and local communities), investment in research and technology, and the transparent collection and sharing of information highlight the potential synergies in delivering integrated governance for biosecurity and One Health (figure 5). Different government departments or ministries responsible for human health, agriculture or the environment often operate under separate legislation and, as a result, policy initiatives, investment in research and data gathering are rarely coordinated or shared. Such a situation leads to piecemeal initiatives, duplication of effort, wasted resources, and even perverse policy outcomes (McGeoch et al. 2023). International collaboration is critical in this regard, because some countries may have a much more developed institutional and legal framework for dealing with biosecurity, whereas others are just starting to consider the problem (Nunez and Pauchard 2010, Schwindt et al. 2024). Target 6 of the Montreal–Kunming Global Biodiversity Framework may be a good starting point for such enterprise as it requires much more ambitious national efforts to achieve the reduction of invasive alien species establishment and impacts on nature and society (CBD and IUCN 2024, Hulme et al. 2025).

The biosecurity continuum provides a framework for bringing the human, animal, plant, and ecosystem sectors together but also clearly identifies that governance of activities before the border, at the border, and after the border needs to be integrated. This requires an understanding of how to manage risks at multiple different scales from international (such as responding to international health regulations or trade agreements), to national (taking a whole of government approach to biosecurity), and then regional as well as local scales (where public engagement is essential). Consequently, biosecurity plays out across interconnected social, political, and environmental domains that are nested within each other and highly dynamic requiring an adaptive approach to governance that recognizes such dynamism and the need for holistic management (Rawluk et al. 2021). The multiple benefits of a One Biosecurity approach through adaptive and integrated governance could provide a stronger driver for governments and the international community to invest and work more closely across sectors to ensure prevention is a much stronger priority across human, animal, plant, and ecosystem health.

Conclusions

We present strong evidence as to why One Health should incorporate the interdisciplinary One Biosecurity approach. Claims that biosecurity is already integral to One Health are easily refuted by the multiple lines of evidence confirming its restricted application to farm hygiene, management of zoonoses and laboratory biosafety. In contrast, a One Biosecurity approach will not only ensure that One Health explicitly includes the role biological invasions play in human, animal, plant, and ecosystem health but also leverages existing biosecurity legislative and regulatory instruments at global and national scales to deliver greater public health benefits. One Biosecurity will also facilitate a clearer implementation plan across the biosecurity continuum. This includes the application of open science intelligence tools to forecast off-shore risks, management of international pathways of people and commodities through pre-border inspections and surveillance of their subsequent post-border itineraries, and a more concerted effort to engage with social psychologists to help understand the steps necessary for improved compliance with biosecurity regulations. Although multilateral organizations such as the FAO, WOA, UNEP, and WHO have established broad principles of working together to achieve One Health this often does not reflect the governance of public health and biosecurity at national scales where human, agricultural, and ecosystem health are usually the domain of separate ministries or departments. One Biosecurity provides a framework for closer working relationships across government by making clear the links between invasive alien species and the health of humans and livestock. Furthermore, by bringing together different sets of expertise (e.g., public health specialists, invasion biologists, social psychologists, economists) to address these issues, One Biosecurity gives a stronger interdisciplinary direction to One Health research. To maintain the growing global momentum to adopt One Health worldwide requires tangible evidence that the concept helps deliver better health outcomes and is not simply a rebranding of business-as-usual activities. One Biosecurity may be the step change needed to deliver on this promise.

Acknowledgments

PEH was supported by funding from the Lincoln University Centres of Excellence program through a grant to the Centre for One Biosecurity, Research, Analysis, and Synthesis. MSD was supported by CNPq (Bolsa de Produtividade em Pesquisa no. 302880/2022-4). PP was supported by the long-term research development project RVO 67985939 (Czech Academy of Sciences), HER by the Natural Environment Research Council as part of the UK Centre for Ecology and Hydrology national and public good program delivering national capability through grant no. NE/R016062/1, FE by the Austrian Science Fund FWF (Global Plant Invasions, project no. I-5825-B), AP by ANID/BASAL FB210006, MV by RADIOPOPO (PID2021-122690OB-I00) funded by MCIN/AEI/10.13039/501100011033/FEDER-EU, and JRW by the South African Department of Forestry, Fisheries and the Environment (DFFE), noting that this publication does not necessarily represent the views or opinions of DFFE or its employees.

Author contributions

Philip E. Hulme (Conceptualization, Data curation, Formal analysis, Funding acquisition, Investigation, Methodology, Project administration, Visualization, Writing - original draft, Writing -

review & editing), Michele S. Dechoum (Writing - review & editing), Franz Essl (Writing - review & editing), Angeliki F. Martinou (Writing - review & editing), Anibal Pauchard (Writing - review & editing), Petr Pyšek (Writing - review & editing), Helen E. Roy (Writing - review & editing), Andy W. Sheppard (Writing - review & editing), Montserrat Vilà (Writing - review & editing), and John R. U. Wilson (Writing - review & editing)

References cited

- Adisasmito WB, et al. 2022. One Health: A new definition for a sustainable and healthy future. *PLOS Pathogens* 18: e1010537.
- Australian Pork Limited. 2021. *National Biosecurity Strategy Initial Consultation*. Australian Pork Limited.
- Bebber DP, Holmes T, Gurr SJ. 2014. The global spread of crop pests and pathogens. *Global Ecology and Biogeography* 23: 1398–1407.
- Bernard R, Bowsher G, Milner C, Boyle P, Patel P, Sullivan R. 2018. Intelligence and global health: Assessing the role of open source and social media intelligence analysis in infectious disease outbreaks. *Journal of Public Health-Heidelberg* 26: 509–514.
- Bernstein AS, et al. 2022. The costs and benefits of primary prevention of zoonotic pandemics. *Science Advances* 8: eab4183.
- Bertelsmeier C, Ollier S. 2020. International tracking of the COVID-19 invasion: An amazing example of a globalized scientific coordination effort. *Biological Invasions* 22: 2647–2649.
- Bivins A, Morfino R, Franklin A, Simpson S, Ahmed W. 2024. The lavatory lens: Tracking the global movement of pathogens via aircraft wastewater. *Critical Reviews in Environmental Science and Technology* 54: 321–341.
- Blackburn JK, Kracalik IT, Fair JM. 2016. Applying science: Opportunities to inform disease management policy with cooperative research within a One Health framework. *Frontiers in Public Health* 3: 276.
- Bradshaw CJA, Leroy B, Bellard C, Roiz D, Albert C, Fournier A, Barbet-Massin M, Salles JM, Simard F, Courchamp F. 2016. Massive yet grossly underestimated global costs of invasive insects. *Nature Communications* 7: 12986.
- Brown CM. 2008. Reaping the whirlwind? Human disease from exotic pets. *BioScience* 58: 6–7.
- Brown HL, Pursley IG, Horton DL, La Ragione RM. 2024. One Health: A structured review and commentary on trends and themes. *One Health Outlook* 6: 17.
- CABI. 2024. *CABI Compendium*. CABI.
- [CBD] Convention on Biological Diversity. 2024. *Biodiversity and Health*. CBD. Report no. CBD/COP/DEC/16/19.
- [CBD] Convention on Biological Diversity, [IUCN] International Union for Conservation of Nature. 2024. *Invasive Alien Species Toolkit for Target 6 of the Kunming–Montreal Global Biodiversity Framework*. CBD.
- Chambers ST, Slow S, Withers A, Chim M, Dawson K, Clemens J, Anderson T, Williman J, Murdoch D, Scott-Thomas A. 2020. Pine species provide a niche for *Legionella longbeachae*. *Journal of Applied and Environmental Microbiology* 8: 46–52.
- Chan OSK, et al. 2021. Veterinary experiences can inform One Health strategies for animal coronaviruses. *Ecohealth* 18: 301–314.
- Chen JY, Shoval N, Stantic B. 2024. Tracking tourist mobility in the big data era: Insights from data, theory, and future directions. *Tourism Geographies* 26: 1381–1411.
- Chernyshev A. 2017. Of tutu and bugs. *Chemistry in New Zealand* 81: 19–23.
- Chinchio E, Crotta M, Romeo C, Drewe JA, Guitian J, Ferrari N. 2020. Invasive alien species and disease risk: An open challenge in public and animal health. *PLOS Pathogens* 16: e1008922.

- Christie ME, Sumner D, Chala LA, Mersie W. 2025. Gendered livelihood impacts and responses to an invasive, transboundary weed in a rural Ethiopian community. *Gender, Place, and Culture* 32: 11–33.
- Cocco P. 2016. Pesticides and Human Health. Article 9780199389414.013. 82 in *Oxford Research Encyclopedias*. Oxford University Press.
- Collins MA, Browne CM, Edwards TL, Ling NCL, Tempero GW, Gleeson DM, Crockett K, Quaife J. 2022. How low can they go: A comparison between dog (*Canis familiaris*) and environmental DNA detection of invasive koi carp (*Cyprinus rubrofasciatus*). *Applied Animal Behaviour Science* 255: 105729.
- Comizzoli P, Lohan KMP, Muletz-Wolz C, Hassell J, Coyle B. 2021. The interconnected health initiative: A Smithsonian framework to extend One Health research and education. *Frontiers in Veterinary Science* 8: 629410.
- Conn DB. 2014. Aquatic invasive species and emerging infectious disease threats: A One Health perspective. *Aquatic Invasions* 9: 383–390.
- Cooke GS, et al. 2019. Accelerating the elimination of viral hepatitis: A Lancet Gastroenterology and Hepatology Commission. *Lancet Gastroenterology and Hepatology* 4: 135–184.
- Costa AC, Parente MI, Martins AMD. 2019. The arrival of the invasive tubeworm *Ficopomatus enigmaticus* (Fauvel, 1923) (Annelida: Serpulidae) to the Azores, possibly via migratory birds. *Bioinvasions Records* 8: 242–251.
- Cuthbert RN, et al. 2023. Invasive hematophagous arthropods and associated diseases in a changing world. *Parasites and Vectors* 16: 291.
- de La Rocque S, et al. 2019. One Health operations: A critical component in the International Health Regulations Monitoring and Evaluation Framework. *Revue Scientifique et Technique-Office International des Epizooties* 38: 303–314.
- Donovan GH, Butry DT, Michael YL, Prestemon JP, Liebhold AM, Gatzliolis D, Mao MY. 2013. The relationship between trees and human health evidence from the spread of the emerald ash borer. *American Journal of Preventive Medicine* 44: 139–145.
- Donovan GH, Gatzliolis D, Longley I, Douwes J. 2018. Vegetation diversity protects against childhood asthma: Results from a large New Zealand birth cohort. *Nature Plants* 4: 358–364.
- Durrheim DN, Murray P, Turner N. 2024. Resurgent global measles: A threat to Australia, New Zealand, and Pacific Island countries. *Journal of Paediatrics and Child Health* 60: 73–75.
- [ECDC] European Centre for Disease Prevention and Control. 2024. *Annual Epidemiological Report for 2022: Hepatitis C*. ECDC.
- Edelist D, Angel DL, Barkan N, Danino-Gozlan C, Palanker A, Barak L, Robertson E, Bentur Y. 2023. Jellyfish sting web survey: Clinical characteristics and management of *Rhopilema nomadica* envenomation in the Mediterranean Sea. *Regional Environmental Change* 23: 114.
- Ellis DH, Pfeiffer TJ. 1990. Ecology, life-cycle, and infectious propagule of *Cryptococcus neoformans*. *Lancet* 336: 923–925.
- Elnaïem A, et al. 2023. Global and regional governance of One Health and implications for global health security. *Lancet* 401: 688–704.
- Enserink M. 2010. Humans, animals: It's One Health. Or is it? *Science* 327: 266–267.
- Essack SY. 2018. Environment: The neglected component of the One Health triad. *Lancet Planetary Health* 2: E238–E239.
- Essl F, et al. 2015. Biological flora of the British Isles: *Ambrosia artemisiifolia*. *Journal of Ecology* 103: 1069–1098.
- Evans BR, Leighton FA. 2014. A history of One Health. *Revue Scientifique et Technique-Office International des Epizooties* 33: 413–420.
- Faijue DD, Segui AO, Shringarpure K, Razavi A, Hasan N, Dar O, Manikam L. 2024. Constructing a One Health governance architecture: A systematic review and analysis of governance mechanisms for One Health. *European Journal of Public Health* 34: 1086–1094.
- [FAO] Food and Agriculture Organization of the United Nations. 2019. *Framework for Pest Risk Analysis*. Report no. ISPM 2. FAO.
- [FAO] Food and Agriculture Organization of the United Nations. 2024. *Scaling Up One Health through an Integrated Approach for Food Chain Crisis Management, Agrifood Systems, and Ecosystem Health*. FAO. Report no. COAG/2024/10.
- [FAO et al.], Food and Agriculture Organization of the United Nations, United Nations Environment Programme, World Health Organization, World Organization for Animal Health. 2022. *One Health Joint Plan of Action (2022–2026): Working Together for the Health of Humans, Animals, Plants, and the Environment*. FAO.
- Faulkner KT, Hulme PE, Wilson JR. 2024. Harder, better, faster, stronger? Dispersal in the Anthropocene. *Trends in Ecology and Evolution* 39: 1130–1140.
- Fong IW. 2020. Blood transfusion-associated infections in the twenty-first century: New challenges. Pages 191–215 in Fong IW, ed. *Current Trends and Concerns in Infectious Diseases*. Springer International.
- Fourment M, Darling AE, Holmes EC. 2017. The impact of migratory flyways on the spread of avian influenza virus in North America. *BMC Evolutionary Biology* 17: 118.
- Frankson R, Hueston W, Christian K, Olson D, Lee M, Valeri L, Hyatt R, Anelli J, Rubin C. 2016. One Health core competency domains. *Frontiers in Public Health* 4: 192.
- French NP. 2017. Impacts of non-native species on livestock. Pages 139–154 in Vila M, Hulme PE, eds. *Impact of Biological Invasions on Ecosystem Services*. Springer.
- Fried G, Chauvel B, Reynaud P, Sache I. 2017. Decreases in crop production by non-native weeds, pests, and pathogens. Pages 83–101 in Vila M, Hulme PE, eds. *Impact of Biological Invasions on Ecosystem Services*. Springer.
- Friel S, Ford L. 2015. Systems, food security and human health. *Food Security* 7: 437–451.
- Fu C, Steckbauer A, Mann H, Duarte CM. 2024. Achieving the Kunming–Montreal global biodiversity targets for blue carbon ecosystems. *Nature Reviews Earth and Environment* 5: 538–552.
- Ganser I, Thiébaud R, Buckeridge DL. 2022. Global variations in event-based surveillance for disease outbreak detection: Time series analysis. *JMIR Public Health and Surveillance* 8: e36211.
- Ghai S, Hemachudha T. 2022. Continued failure of rabies elimination-consideration of challenges in applying the One Health approach. *Frontiers in Veterinary Science* 9: 847659.
- Golden GJ, Ramirez EA, Stevens HN, Bourbois J, Grove DM, Bowen RA, Deliberto TJ, Kimball BA. 2024. Biodetection of an odor signature in white-tailed deer associated with infection by chronic wasting disease prions. *PLOS ONE* 19: e0303225.
- Goodwin KM, Engel RE, Weaver DK. 2010. Trained dogs outperform human surveyors in the detection of rare spotted knapweed (*Centaurea stoebe*). *Invasive Plant Science and Management* 3: 113–121.
- Gordh G, McKirdy S. 2014. *The Handbook of Plant Biosecurity*. Springer.
- Gottwald T, Luo WQ, Posny D, Riley T, Louws F. 2019. A probabilistic census-travel model to predict introduction sites of exotic plant, animal and human pathogens. *Philosophical Transactions of the Royal Society B* 374: 20180260.
- Grice A, Murphy H, Clarkson J, Friedel M, Fletcher C, Westcott D. 2020. A review and refinement of the concept of containment for the management of invasive plants. *Australian Journal of Botany* 68: 602–616.
- Grossel G, Lyon A, Nunn M. 2017. Open-source intelligence gathering and open-analysis intelligence for biosecurity. Pages 84–92

- in Robinson AP, Walshe T, Burgman MA, Nunn M, eds. *Invasive Species: Risk Assessment and Management*. Cambridge University Press.
- Hatcher MJ, Dick JTA, Dunn AM. 2012. Disease emergence and invasions. *Functional Ecology* 26: 1275–1287.
- Hawkins CL, et al. 2015. Framework and guidelines for implementing the proposed IUCN Environmental Impact Classification for Alien Taxa (EICAT). *Diversity and Distributions* 21: 1360–1363.
- Heath ACG. 2016. Biology, ecology and distribution of the tick, *Haemaphysalis longicornis* Neumann (Acari: Ixodidae) in New Zealand. *New Zealand Veterinary Journal* 64: 10–20.
- Hoffmann BD, Faulkner C, Brewington L, Lawton F. 2022. Field quantifications of probability of detection and search patterns to form protocols for the use of detector dogs for eradication assessments. *Ecology and Evolution* 12: e8987.
- Hueston W. 2017. Engaging scientists and veterinarians in strengthening biosecurity systems. *Revue Scientifique et Technique-Office International des Epizooties* 36: 681–690.
- Hulme PE. 2009. Trade, transport, and trouble: Managing invasive species pathways in an era of globalization. *Journal of Applied Ecology* 46: 10–18.
- Hulme PE. 2014a. An introduction to plant biosecurity: Past, present, and future. Pages 1–25 in Gordh G, McKirdy S, eds. *The Handbook of Plant Biosecurity*. Springer.
- Hulme PE. 2014b. Invasive species challenge the global response to emerging diseases. *Trends in Parasitology* 30: 267–270.
- Hulme PE. 2020. One Biosecurity: A unified concept to integrate human, animal, plant, and environmental health. *Emerging Topics in Life Sciences* 4: 539–549.
- Hulme PE. 2021. Advancing One Biosecurity to address the pandemic risks of biological invasions. *BioScience* 71: 708–721.
- Hulme PE. 2024a. Networks of risk: International tourists as a biosecurity pathway into national parks. *Biological Invasions* 26: 4317–4330.
- Hulme PE. 2024b. Thematic mapping of biosecurity highlights divergent conceptual foundations in human, animal, plant, and ecosystem health. *Neobiota* 95: 221–239.
- Hulme PE. 2025. Trouble on the horizon: Anticipating biological invasions through futures thinking. *Biological Reviews* 100: 461–480.
- Hulme PE, Baker R, Freckleton R, Hails RS, Hartley M, Harwood J, Marion G, Smith GC, Williamson M. 2020. The Epidemiological Framework for Biological Invasions (EFBI): An interdisciplinary foundation for the assessment of biosecurity threats. *Neobiota* 62: 161–192.
- Hulme PE, et al. 2023. Emerging advances in biosecurity to underpin human, animal, plant, and ecosystem health. *Iscience* 26: 107462.
- Hulme PE, Lieurance D, Richardson DM, Robinson-Smythe TB. 2025. Multiple targets of the Global Biodiversity Framework must be addressed to manage invasive alien species in protected areas. *Neobiota* 99: 149–170.
- Humboldt-Dachroeden S, Rubin O, Frid-Nielsen SS. 2020. The state of One Health research across disciplines and sectors: A bibliometric analysis. *One Health* 10: 100146.
- Ikeazor S. 2022. *National Biosecurity Policy and Action Plan 2022–2026*. Federal Ministry of Environment, Federal Republic of Nigeria.
- [INFOSAN] International Food Safety Authorities Network. 2010. Biosecurity: An Integrated Approach to Manage Risk to Human, Animal, and Plant Life and Health. INFOSAN. Information note no. 1/2010.
- [IPBES] Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. 2023. Summary for policymakers of the Thematic Assessment Report on Invasive Alien species and their control of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. IPBES.
- Kahler SC. 2004. Initiative moves One-Health model AHEAD: Wildlife conservation society fosters ecosystem approach. *Journal of the American Veterinary Medical Association* 225: 21–21.
- Keesing F, Ostfeld RS. 2021. Impacts of biodiversity and biodiversity loss on zoonotic diseases. *Proceedings of the National Academy of Sciences* 118: e2023540118.
- Kelly P, Rolain JM, Raoult D. 2005. Prevalence of human pathogens in cat and dog fleas in New Zealand. *New Zealand Medical Journal* 118: 45–47.
- Kemp SF, deShazo RD, Moffitt JE, Williams DF, Buhner WA. 2000. Expanding habitat of the imported fire ant (*Solenopsis invicta*): A public health concern. *Journal of Allergy and Clinical Immunology* 105: 683–691.
- Khan MS, Rothman-Ostrow P, Spencer J, Hasan N, Sabirovic M, Rahman-Shepherd A, Shaikh N, Heymann DL, Dar O. 2018. The growth and strategic functioning of One Health networks: A systematic analysis. *Lancet Planetary Health* 2: E264–E273.
- Lancet Infectious Diseases. 2024. Can another infected blood scandal be averted? *Lancet Infectious Diseases* 24: 665–665.
- Lazzaro L, Essi F, Lugliè A, Padedda BM, Pysek P, Brundu G. 2018. *Invasive Alien Plant Impacts on Human Health and Well-being*. CABI.
- Lee M. 2016. Diagnosis for imported cases of emerging and reemerging infectious diseases in Korea. *EWHA Medical Journal* 39: 37–44.
- Lefrançois T, Malvy D, Atlani-Duault L, Benamouzig D, Druais PL, Yazdanpanah Y, Delfraissy JF, Lina B. 2023. After 2 years of the COVID-19 pandemic, translating One Health into action is urgent. *Lancet* 401: 789–794.
- Lenzner B, García-Rodríguez A, Colling G, Dullinger S, Fugger J, Glaser M, Hennenfeind JH, Kaplan E, Liu D, Omer A. 2024. The neglected importance of managing biological invasions for sustainable development. *People and Nature* 6: 1804–1811.
- Lewis RE, Krewski D, Tyshenko MG. 2010. A review of bovine spongiform encephalopathy and its management in Canada and the USA. *International Journal of Risk Assessment and Management* 14: 32–49.
- Littlecott H, Herd C, O'Rourke J, Chaparro LT, Keeling M, Rubin GJ, Fearon E. 2023. Effectiveness of testing, contact tracing and isolation interventions among the general population on reducing transmission of SARS-CoV-2: A systematic review. *Philosophical Transactions of the Royal Society A* 381: 20230131.
- Loo BPY, Tsoi KH, Wong PPY, Lai PC. 2021. Identification of super-spreading environment under COVID-19 through human mobility data. *Scientific Reports* 11: 4699.
- Lowe S, Browne M, Boudjelas S, De Poorter M. 2000. *100 of the World's Worst Invasive Alien Species a Selection from the Global Invasive Species Database*. International Union for Conservation of Nature Invasive Species Specialist Group.
- MacIntyre CR, et al. 2023. Artificial intelligence in public health: The potential of epidemic early warning systems. *Journal of International Medical Research* 51: 03000605231159335.
- Mannino MR, Larenaudie M, Patrick Linge J, Candresse T, Jaques Miret JA, John Jeger M, Gachet E, Maiorano A, Guajardo IM, Stan-canelli G. 2021. Horizon scanning for plant health: Report on 2017–2020 activities. *EFSA Supporting Publications* 18: 2010E.
- Mark HE, da Costa GD, Pagliari C, Unger SA. 2020. Malnutrition: The silent pandemic. *British Medical Journal* 371: m4593.
- Mason-D'Croz D, Bogard JR, Herrero M, Robinson S, Sulser TB, Wiebe K, Willenbockel D, Godfray HCJ. 2020. Modelling the global economic consequences of a major African swine fever outbreak in China. *Nature Food* 1: 221–228.
- Mazza G, Tricarico E. 2018. *Invasive Species and human Health*. CABI.

- Mazza G, Tricarico E, Genovesi P, Gherardi F. 2014. Biological invaders are threats to human health: An overview. *Ethology Ecology and Evolution* 26: 112–129.
- McGeoch MA, et al. 2023. Governance and policy options for the management of biological invasions. Pages 719–853 in Roy HE, Pauchard A, Stoett P, Renard Truong T, eds. *Thematic Assessment Report on Invasive Alien Species and Their Control of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*. Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services.
- Mendesil E, Tefera T, Blanco CA, Paula-Moraes SV, Huang FN, Viteri DM, Hutchison WD. 2023. The invasive fall armyworm, *Spodoptera frugiperda*, in Africa and Asia: Responding to the food security challenge, with priorities for integrated pest management research. *Journal of Plant Diseases and Protection* 130: 1175–1206.
- Milner-Gulland EJ, et al. 2021. Four steps for the Earth: Mainstreaming the post-2020 global biodiversity framework. *One Earth* 4: 75–87.
- Molaei G, Eisen LM, Price KJ, Eisen RJ. 2022. Range expansion of native and invasive ticks: A looming public health threat. *Journal of Infectious Diseases* 226: 370–373.
- Moritz RL, Berger KM, Owen BR, Gillum DR. 2020. Promoting biosecurity by professionalizing biosecurity A credential system could improve policy and practice. *Science* 367: 856–858.
- Moser AY, Brown WY, Bennett P, Taylor PS, Wilson B, McGreevy P. 2023. Defining the characteristics of successful biosecurity scent detection dogs. *Animals* 13: 504.
- [MPI] Ministry for Primary Industries. 2021. *Import Health Standard: Cats and Dogs*. MPI.
- [MPI] Ministry for Primary Industries. 2023. *Aotearoa New Zealand's Biosecurity System: Creating a Strategy for the Future*. MPI.
- Nentwig W, Mebs D, Vilà M. 2017. Impact of non-native animals and plants on human health. Pages 277–293 in Vila M, Hulme PE, eds. *Impact of Biological Invasions on Ecosystem Services*. Springer.
- Nunez MA, Pauchard A. 2010. Biological invasions in developing and developed countries: Does one model fit all? *Biological Invasions* 12: 707–714.
- Núñez MA, Pauchard A, Ricciardi A. 2020. Invasion science and the global spread of SARS-CoV-2. *Trends in Ecology and Evolution* 35: 642–645.
- Ogden NH, Wilson JR, Richardson DM, Hui C, Davies SJ, Kumschick S, Le Roux JJ, Measey J, Saul WC, Pulliam JRC. 2019. Emerging infectious diseases and biological invasions: A call for a One Health collaboration in science and management. *Royal Society Open Science* 6: 181577.
- Ogunseitan OA. 2022. One Health and the environment: From conceptual framework to implementation science. *Environment* 64: 11–21.
- Otto CM, Sell TK, Veenema TG, Hosangadi D, Vahey RA, Connell ND, Privor-Dumm L. 2021. The promise of disease detection dogs in pandemic response: Lessons learned from COVID 19. *Disaster Medicine and Public Health Preparedness* 17: e20.
- Padmanabhan S. 1973. The great Bengal famine. *Annual Review of Phytopathology* 11: 11–24.
- Pandey M, Piedmonte NP, Vinci VC, Falco RC, Daniels TJ, Clark JA. 2022. First detection of the invasive Asian longhorned tick (Acari: Ixodidae) on migratory passerines in the Americas. *Journal of Medical Entomology* 59: 2176–2181.
- Pankhurst R. 1966. The Great Ethiopian Famine of 1888–1892: A new assessment. I. *Journal of the History of Medicine and Allied Sciences* 21: 95–124.
- Powderly WG. 2019. How infection shaped history: Lessons from the Irish famine. *Transactions of the American Clinical and Climatological Association* 130: 127–135.
- Pozo-Martin F, Sanchez MAB, Müller SA, Diaconu V, Weil K, El Bcheraoui C. 2023. Comparative effectiveness of contact tracing interventions in the context of the COVID-19 pandemic: A systematic review. *European Journal of Epidemiology* 38: 243–266.
- Prata JC, Ribeiro AI, Rocha-Santos T. 2022a. An introduction to the concept of One Health. Pages 1–31 in Prata JC, Ribeiro AI, Rocha-Santos T, eds. *One Health*. Academic Press.
- Prata JC, Ribeiro AI, Rocha-Santos T. 2022b. *One Health: Integrated Approach to 21st Century Challenges to Health*. Academic Press.
- Pratt CF, Constantine KL, Murphy ST. 2017. Economic impacts of invasive alien species on African smallholder livelihoods. *Global Food Security-Agriculture Policy Economics and Environment* 14: 31–37.
- Pyšek P, et al. 2020. Scientists' warning on invasive alien species. *Biological Reviews* 95: 1511–1534.
- Rawluk A, Beilin R, Lavau S. 2021. Enacting shared responsibility in biosecurity governance: Insights from adaptive governance. *Ecology and Society* 26: 18.
- Redford KH, et al. 2022. Healthy planet healthy people. *Conservation Letters* 15: e12864.
- Rizzo DM, Lichtveld M, Mazet JA, Togami E, Miller SA. 2021. Plant health and its effects on food safety and security in a One Health framework: Four case studies. *One Health Outlook* 3: 6.
- Roiz D, Pontifes PA, Jourdain F, Diagne C, Leroy B, Vaissière AC, Tolsé-García MJ, Salles JM, Simard F, Courchamp F. 2024. The rising global economic costs of invasive *Aedes* mosquitoes and *Aedes*-borne diseases. *Science of the Total Environment* 933: 173054.
- Roy HE, et al. 2017. Alien pathogens on the horizon: Opportunities for predicting their threat to wildlife. *Conservation Letters* 10: 477–484.
- Roy HE, et al. 2018. Developing a framework of minimum standards for the risk assessment of alien species. *Journal of Applied Ecology* 55: 526–538.
- Roy HE, Tricarico E, Hassall R, Johns CA, Roy KA, Scalera R, Smith KG, Purse BV. 2023. The role of invasive alien species in the emergence and spread of zoonoses. *Biological Invasions* 25: 1249–1264.
- Roy HE, et al. 2024. Curbing the major and growing threats from invasive alien species is urgent and achievable. *Nature Ecology and Evolution* 8: 1216–1223.
- Ruiz GM, Rawlings TK, Dobbs FC, Drake LA, Mullady T, Huq A, Colwell RR. 2000. Global spread of microorganisms by ships: Ballast water discharged from vessels harbours a cocktail of potential pathogens. *Nature* 408: 49–50.
- Satragno D, Faral-Tello P, Canneva B, Verger L, Lozano A, Vitale E, Greif G, Soto C, Robello C, Basmadjian Y. 2017. Autochthonous outbreak and expansion of canine visceral leishmaniasis, Uruguay. *Emerging Infectious Diseases* 23: 536–538.
- Schaffner U, et al. 2020. Biological weed control to relieve millions from *Ambrosia* allergies in Europe. *Nature Communications* 11: 1745.
- Schindler S, Staska B, Adam M, Rabitsch W, Essl F. 2015. Alien species and public health impacts in Europe: A literature review. *Neobiota* 27: 1–23.
- Schramme T. 2023. Health as complete well-being: The WHO definition and beyond. *Public Health Ethics* 16: 210–218.
- Schwindt E, August T, Vanderhoeven S, McGeoch M, Bacher S, Galil B, Genovesi P, Hulme P, Ikeda T, Lenzner B. 2024. Overwhelming evidence galvanizes a global consensus on the need for action against invasive alien species. *Biological Invasions* 26: 621–626.
- Seas C, Miranda J, Gil AI, Leon-Barua R, Patz J, Huq A, Colwell RR, Sack RB. 2000. New insights on the emergence of cholera in Latin America during 1991: The Peruvian experience. *American Journal of Tropical Medicine and Hygiene* 62: 513–517.
- Seebens H, Gastner MT, Blasius B. 2013. The risk of marine bioinvasion caused by global shipping. *Ecology Letters* 16: 782–790.

- Seeley J, Tumwekwas G, Grosskurth H. 2009. Fishing for a living but catching HIV: AIDS and changing patterns of the organization of work in fisheries in Uganda. *Anthropology of Work Review* 30: 66–76.
- Shafie NF, Osman ND. 2024. Overview of biosecurity legislation in Malaysia. *Perdana: International Journal of Academic Research* 19: 1–12.
- Silburn A, Arndell J. 2024. The impact of dengue viruses: Surveillance, response, and public health implications in Queensland, Australia. *Public Health in Practice* 8: 100529.
- Sileshi GW, Gebeyehu S. 2021. Emerging infectious diseases threatening food security and economies in Africa. *Global Food Security-Agriculture Policy Economics and Environment* 28: 100479.
- Soubeyrand S, et al. 2024. Building integrated plant health surveillance: A proactive research agenda for anticipating and mitigating disease and pest emergence. *CABI Agriculture and Bioscience* 5: 72.
- Tambo JA, Kansiime MK, Rwomushana I, Mugambi I, Nunda W, Banda CM, Nyamutukwa S, Makale F, Day R. 2021. Impact of fall armyworm invasion on household income and food security in Zimbabwe. *Food and Energy Security* 10: e281.
- Tatem AJ. 2009. The worldwide airline network and the dispersal of exotic species: 2007–2010. *Ecography* 32: 94–102.
- Tateosian LG, Saffer A, Walden-Schreiner C, Shukunobe M. 2023. Plant pest invasions, as seen through news and social media. *Computers Environment and Urban Systems* 100: 101922.
- Thacker SB, Stroup DF, Carande-Kulis V, Marks JS, Roy K, Gerberding JL. 2006. Measuring the public's health. *Public Health Reports* 121: 14–22.
- Thompson RN, Brooks-Pollock E. 2019. Detection, forecasting and control of infectious disease epidemics: Modelling outbreaks in humans, animals and plants. *Philosophical Transactions of the Royal Society B* 374: 20190038.
- Thompson L, Cayol C, Awada L, Muset S, Shetty D, Wang J, Tizzani P. 2024. Role of the World Organisation for Animal Health in global wildlife disease surveillance. *Frontiers in Veterinary Science* 11: 1269530.
- Traore T, et al. 2023. How prepared is the world? Identifying weaknesses in existing assessment frameworks for global health security through a One Health approach. *Lancet* 401: 673–687.
- Trujillo-González A, Thuo DN, Divi U, Sparks K, Wallenius T, Gleeson D. 2022. Detection of Khapra beetle environmental DNA using portable technologies in Australian biosecurity. *Frontiers in Insect Science* 2: 795379.
- Vicente CR, Jacobs F, de Carvalho DS, Chhaganlal K, de Carvalho RB, Raboni SM, Qosaj FA, Tanaka LF. 2021. Creating a platform to enable collaborative learning in One Health: The Joint Initiative for Teaching and Learning on Global Health Challenges and One Health experience. *One Health* 12: 100245.
- Vilà M, Hulme PE. 2017. *Impact of Biological Invasions on Ecosystem Services*. Springer.
- Vilà M, et al. 2021. Viewing emerging human infectious epidemics through the lens of invasion biology. *BioScience* 71: 722–740.
- Wattiau P, Klee SR, Fretin D, Van Hesse M, Ménart M, Franz T, Chasseur C, Butaye P, Imberechts H. 2008. Occurrence and genetic diversity of *Bacillus anthracis* strains isolated in an active wool-cleaning factory. *Applied and Environmental Microbiology* 74: 4005–4011.
- Weeks WB, Weinstein JN, Lavista JM. 2023. All Sustainable Development Goals support good health and well-being. *International Journal of Public Health* 68: 1606901.
- Whitehead AP, Matheus K, Bunker P, DeShon DL, Steinkraus B, Hall NJ, Barnes MA. 2024. Advancing early detection technologies for *Dreissena polymorpha* (Pallas, 1771): Comparing mussel detection in environmental samples with environmental DNA (eDNA) and detection canines. *Management of Biological Invasions* 15: 219–238.
- [WHO] World Health Organization. 2015. Factors that Contributed to Undetected Spread of the Ebola Virus and Impeded Rapid Containment. WHO. www.who.int/news-room/spotlight/one-year-into-the-ebola-epidemic/factors-that-contributed-to-undetected-spread-of-the-ebola-virus-and-impeded-rapid-containment.
- Wilson JR, Kumschick S. 2024. The regulation of alien species in South Africa. *South African Journal of Science* 120: 1–14.
- Yang XM, Wyckhuys KAG, Jia XP, Nie FY, Wu KM. 2021. Fall armyworm invasion heightens pesticide expenditure among Chinese smallholder farmers. *Journal of Environmental Management* 282: 111949.
- Zhang L, et al. 2022. Biological invasions facilitate zoonotic disease emergences. *Nature Communications* 13: 1762.
- Zinsstag J, et al. 2023. Advancing one human–animal–environment health for global health security: What does the evidence say? *Lancet* 401: 591–604.
- Zinsstag J, Schelling E, Crump L, Whittaker M, Tanner M, Stephen C. 2021. *One Health: The Theory and Practice of Integrated Health Approaches*. CABI.

Received: November 27, 2024. Accepted: June 20, 2025

© The Author(s) 2025. Published by Oxford University Press on behalf of the American Institute of Biological Sciences. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted reuse, distribution, and reproduction in any medium, provided the original work is properly cited.